

Locality Working Demand Analysis
January 2020

Newport Ward

- Highest level of fly-tipping reported to LA
- Highest number of hospital admissions for heart attack
- Highest number of hospital admissions for hip fracture 65+
- 2nd highest number of police recorded crime
- 2nd highest number of reports of gang nuisance
- 2nd highest rate of female victims of violent crime
- 2nd highest number of ambulance pick-ups for alcohol & drugs
- 3rd highest ward in receipt of Universal Credit
- 3rd highest level of antisocial behaviour
- 3rd highest level of racially motivated crime
- 3rd highest number of small fires
- 3rd highest level of alcohol & drug related hospital admissions to JCUH
- *with an average of 15 admissions per year under 18 years of age (Middlesbrough)
- 3rd highest proportion of children in looked after care
- Children Social Care (CSC) data shows Newport has
- 3.50% of people young people receiving early help support
- 1.90% are CiN
- 1.20% are on Child Protection plans (5th highest in Middlesbrough) and
- 2.37% are in looked after care (3rd highest in Middlesbrough)
- Adult Social Care (ASC) need is more mental health related in the Newport ward. With 84 active Connect SU's and 83 active Staying Put Agency SU's
- Newport ward is the 5th Most deprived ward in Middlesbrough
- Life expectancy is 13.3 years lower for men and 11.2 years lower for women in the most deprived areas of Middlesbrough than in the least deprived areas.
- Public Health profiles show that Middlesbrough has high levels of Suicide a significant cause of death in young adults. It is also seen as an indicator of underlying rates of mental ill-health.
- Across Middlesbrough in Year 6, 23.0% of children are classified as obese. Levels of teenage pregnancy, GCSE attainment, breastfeeding and smoking in pregnancy are also worse than the England average.
- Across Middlesbrough the rate for self-harm hospital admissions is worse than the average for England. This represents 486 admissions per year across Middlesbrough.

Export table as image Export table as CSV file

Endemic Value
Worst 25th Percentile 75th Percentile Best

Indicator	Period	Newport		District England & UA			England		Best
		Recent Trend	Count	Value	Value	Value	Worst	Range	
Hospital admissions for self-harm; standardised emergency admission ratio (all ages)	2010/11 - 14/15	-	-	285.7	230.9	100.0	545.6		7.7
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	-	8,034	165.3	141.5	100.0	210.8		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	-	126	154.8	110.3	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	-	68	153.7	129.9	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	-	77	183.4	121.2	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	-	267	382.2	211.8	100.0	482.5		11.8
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	-	43	181.7	122.8	100.0	243.0		35.1
Child Development at age 5 (%)	2013/14	-	84	49.5%	49.8%	60.4%	25.0%		68.2%

North Ormesby Ward

- Highest level of antisocial behaviour
- Highest rate of female victims of violent crime
- Highest rate of male victims of violent crime. Even higher than the Central Ward which has the 'Town Centre'.
- Highest number of lost children reported to LA Street Wardens
- Highest number of hospital admissions overall
- Highest number of hospital admissions for self harm
- Highest number of hospital admissions for COPD
- 2nd highest level of racially motivated crime
- 2nd highest number of ambulance pick-ups for alcohol & drugs
- 4th highest level of alcohol & drug related hospital admissions to JCUH
- Highest proportion of children in looked after care
- Highest proportion of children receiving early help
- Highest proportion of children classed as CiN
- Children Social Care (CSC) data shows North Ormesby has
- 7.54% of people young people receiving early help
- 3.83% are CiN
- 1.69% are on Child Protection plans (2nd highest in Middlesbrough) and
- 6.62% are in looked after care
- Adult Social Care (ASC) need is more mental health related in the North

Ormesby ward

- 161 active Connect SU's and 11 active Staying Put Agency SU's
- North Ormesby ward is the most deprived ward in Middlesbrough and the 2nd most deprived ward in England.
- Life expectancy is 13.3 years lower for men and 11.2 years lower for women in the most deprived areas of Middlesbrough than in the least deprived areas.
- Public Health profiles show that Middlesbrough has high levels of Suicide a significant cause of death in young adults. It is also seen as an indicator of underlying rates of mental ill-health.
- Across Middlesbrough in Year 6, 23% of children are classified as obese. Levels of teenage pregnancy, GCSE attainment, breastfeeding and smoking in pregnancy are also worse than the England average.
- Across Middlesbrough the rate for self-harm hospital admissions is worse than the average for England. This represents 486 admissions per year in Middlesbrough. North Ormesby has the highest rate

Export table as image Export table as CSV file

Indicator	Period	North Ormesby		District England & UA			England		
		Recent Trend	Count	Value	Value	Value	Worst	Range	Best
Hospital admissions for self-harm; standardised emergency admission ratio (all ages)	2010/11 - 14/15	-	-	408.0	230.9	100.0	545.6		7.7
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	-	2,760	192.4	141.5	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	-	49	162.2	110.3	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	-	26	154.0	129.9	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	-	25	159.9	121.2	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	-	119	451.1	211.8	100.0	482.5		11.8
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	-	20	179.8	122.8	100.0	243.0		35.1
Child Development at age 5 (%)	2013/14	-	23	54.1%	49.8%	60.4%	25.0%		88.2%